Pain 119 (2005) 250–251

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 119 (2005)

Amaya, F., see Shimosato, G., **119** 225
Andersen, S.D., see Frøkjær, J.B., **119** 191
Andrus, C.H., see Katz, J., **119** 16
Arendt-Nielsen, L., see Frøkjær, J.B., **119** 191
Arnold, L.M., Rosen, A., Pritchett, Y.L., D'Souza, D.N., Goldstein, D.J., Iyengar, S., Wernicke, J.F., A randomized, double-blind, placebo-controlled trial of duloxetine in the treatment of women with fibromyalgia with or without major depressive disorder, **119** 5
Atherton, K., see Wynne-Jones, G., **119** 247
Authier, N., see Ling, B., **119** 104

Balayssac, D., see Ling, B., **119** 104
Baumann, S., see Gaab, J., **119** 219
Beecham, J., see Sleed, M., **119** 183
Boissé, L., Spencer, S.J., Mouihate, A., Vergnolle, N., Pittman, Q.J., Neonatal immune challenge alters nociception in the adult rat, **119** 133
Boston, A., Sharpe, L., The role of threat-expectancy in acute pain: effects on attentional bias, coping strategy effectiveness and response to pain, **119** 168
Budnoik, A., see Gaab, J., **119** 219

Cano, A., Leonard, M.T., Franz, A., The significant other version of the Pain Catastrophizing Scale (PCS-S): Preliminary validation, **119** 26
Chambers, C.T., see Palermo, T.M., **119** 1
Chen, Y., Li, G.-W., Wang, C., Gu, Y., Huang, L.-Y.M., Mechanisms underlying enhanced P2X receptor-mediated responses in the neuropathic pain state, **119** 38
Chu, Y.-C., Guan, Y., Skinner, J., Raja, S.N., Johns, R.A., Tao, Y.-X., Effect of genetic knockout or pharmacologic inhibition of neuronal nitric oxide synthase on complete Freund's adjuvant-induced persistent pain, **119** 113
Coudore, F., see Ling, B., **119** 104
Croucher, R., see Pau, A., **119** 75

Decosterd, I., see Shimosato, G., **119** 225
Dobalian, A., see Tsao, J.C.I., **119** 124
Drewes, A.M., see Frøkjær, J.B., **119** 191
D'Souza, D.N., see Arnold, L.M., **119** 5
Dworkin, R.H., see Katz, J., **119** 16

Eccleston, C., see Sleed, M., **119** 183
Edlund, M.J., see Sullivan, M.D., **119** 95
Eeg-Olofsson, O., see Laurell, K., **119** 150
Ehlert, U., see Gaab, J., **119** 219
Eriksson, J., Jablonski, A., Persson, A.-K., Hao, J.-X., Kouya, P.F., Wiesenfeld-Hallin, Z., Xu, X.-J., Fried, K., Behavioral changes and trigeminal ganglion sodium channel regulation in an orofacial neuropathic pain model, **119** 82
Eschalier, A., see Ling, B., **119** 104

Fejer, R., Jordan, A., Hartvigsen, J., Categorising the severity of neck pain: Establishment of cut-points for use in clinical and epidemiological research, **119** 176
Franz, A., see Cano, A., **119** 26
Fried, K., see Eriksson, J., **119** 82
Frøkjær, J.B., Andersen, S.D., Gale, J., Arendt-Nielsen, L., Gregersen, H., Drewes, A.M., An experimental study of viscero-visceral hyperalgesia using an ultrasound-based multimodal sensory testing approach, **119** 191
Fuh, J.-L., Wang, S.-J., Lu, S.-R., Juang, K.-D., Does medication overuse headache represent a behavior of dependence?, **119** 49

Gaab, J., Baumann, S., Budnoik, A., Gmünder, H., Hottinger, N., Ehlert, U., Reduced reactivity and enhanced negative feedback sensitivity of the hypothalamus–pituitary–adrenal axis in chronic whiplash-associated disorder, **119** 219
Gale, J., see Frøkjær, J.B., **119** 191
Gendler, S.J., see Lindsay, T.H., **119** 233
Gerdle, B., see Rosendal, L., **119** 201
Ghilardi, J.R., see Lindsay, T.H., **119** 233
Gmünder, H., see Gaab, J., **119** 219
Goldstein, D.J., see Arnold, L.M., **119** 5
Gregersen, H., see Frøkjær, J.B., **119** 191
Gu, Y., see Chen, Y., **119** 38
Guan, Y., see Chu, Y.-C., **119** 113

Haack, M., Mullington, J.M., Sustained sleep restriction reduces emotional and physical well-being, **119** 56
Halvorson, K.G., see Lindsay, T.H., **119** 233
Hao, J.-X., see Eriksson, J., **119** 82
Harris, J.R., see Nielsen, C.S., **119** 65
Hartvigsen, J., see Fejer, R., **119** 176
Hendriks, E.J.M., Scholten-Peeters, G.G.M., van der Windt, D.A.W.M., Neeleman-van der Steen, C.W.M., Oostendorp, R.A.B., Verhagen, A.P., Response to Wynne–Jones et al., **119** 248
Hogan, L.A., see Katz, J., **119** 16
Hottinger, N., see Gaab, J., **119** 219
Huang, L.-Y.M., see Chen, Y., **119** 38

Iyengar, S., see Arnold, L.M., **119** 5

Jablonski, A., see Eriksson, J., **119** 82
Johns, R.A., see Chu, Y.-C., **119** 113
Jonas, B.M., see Lindsay, T.H., **119** 233
Jones, G.T., see Wynne-Jones, G., **119** 247
Jordan, A., see Fejer, R., **119** 176
Jordan, A., see Sleed, M., **119** 183
Juang, K.-D., see Fuh, J.-L., **119** 49
Jung, B.F., see Katz, J., **119** 16

Katz, J., Poleshuck, E.L., Andrus, C.H., Hogan, L.A., Jung, B.F., Kulick, D.I., Dworkin, R.H., Risk factors for acute pain and its persistence following breast cancer surgery, **119** 16
Kjær, M., see Rosendal, L., **119** 201
Knapp, M., see Sleed, M., **119** 183
Kouya, P.F., see Eriksson, J., **119** 82

doi:10.1016/S0304-3959(05)00581-6

Kristiansen, J., see Rosendal, L., **119** 201
Kubota, K., see Lindsay, T.H., **119** 233
Kulick, D.I., see Katz, J., **119** 16
Kuskowski, M.A., see Lindsay, T.H., **119** 233

Larsson, B., see Laurell, K., **119** 150
Larsson, B., see Rosendal, L., **119** 201
Laurell, K., Larsson, B., Eeg-Olofsson, O., Headache in schoolchildren: Association with other pain, family history and psychosocial factors, **119** 150
Leonard, M.T., see Cano, A., **119** 26
Leung, T., see Pau, A., **119** 75
Li, G.-W., see Chen, Y., **119** 38
Lindsay, T.H., Jonas, B.M., Sevcik, M.A., Kubota, K., Halvorson, K.G., Ghilardi, J.R., Kuskowski, M.A., Stelow, E.B., Mukherjee, P., Gendler, S.J., Wong, G.Y., Mantyh, P.W., Pancreatic cancer pain and its correlation with changes in tumor vasculature, macrophage infiltration, neuronal innervation, body weight and disease progression, **119** 233
Ling, B., Authier, N., Balayssac, D., Eschalier, A., Coudore, F., Assessment of nociception in acrylamide-induced neuropathy in rats, **119** 104
Lisi, T.L., see Skyba, D.A., **119** 142
Lu, S.-R., see Fuh, J.-L., **119** 49

Macfarlane, G.J., see Wynne-Jones, G., **119** 247
Mantyh, P.W., see Lindsay, T.H., **119** 233
Marcenes, W., see Pau, A., **119** 75
Meert, T.F., see Snijdelaar, D.G., **119** 159
Mennella, J.A., see Pepino, M.Y., **119** 210
Mouihate, A., see Boissé, L., **119** 133
Mukherjee, P., see Lindsay, T.H., **119** 233
Mullington, J.M., see Haack, M., **119** 56

Neeleman-van der Steen, C.W.M., see Hendriks, E.J.M., **119** 248
Nielsen, C.S., Price, D.D., Vassend, O., Stubhaug, A., Harris, J.R., Characterizing individual differences in heat-pain sensitivity, **119** 65

Oostendorp, R.A.B., see Hendriks, E.J.M., **119** 248

Palermo, T.M., Chambers, C.T., Parent and family factors in pediatric chronic pain and disability: An integrative approach, **119** 1
Pau, A., Croucher, R., Marcenes, W., Leung, T., Development and validation of a dental pain-screening questionnaire, **119** 75
Peolsson, M., see Rosendal, L., **119** 201
Pepino, M.Y., Mennella, J.A., Sucrose-induced analgesia is related to sweet preferences in children but not adults, **119** 210
Persson, A.-K., see Eriksson, J., **119** 82
Pittman, Q.J., see Boissé, L., **119** 133
Poleshuck, E.L., see Katz, J., **119** 16
Price, D.D., see Nielsen, C.S., **119** 65
Pritchett, Y.L., see Arnold, L.M., **119** 5

Raja, S.N., see Chu, Y.-C., **119** 113
Rosen, A., see Arnold, L.M., **119** 5
Rosendal, L., Kristiansen, J., Gerdle, B., Søgaard, K., Peolsson, M., Kjær, M., Sörensen, J., Larsson, B., Increased levels of interstitial potassium but normal levels of muscle IL-6 and LDH in patients with trapezius myalgia, **119** 201

Scholten-Peeters, G.G.M., see Hendriks, E.J.M., **119** 248
Sevcik, M.A., see Lindsay, T.H., **119** 233
Sharpe, L., see Boston, A., **119** 168
Shimosato, G., Amaya, F., Ueda, M., Tanaka, Y., Decosterd, I., Tanaka, M., Peripheral inflammation induces up-regulation of TRPV2 expression in rat DRG, **119** 225
Silman, A.J., see Wynne-Jones, G., **119** 247
Skinner, J., see Chu, Y.-C., **119** 113
Skyba, D.A., Lisi, T.L., Sluka, K.A., Excitatory amino acid concentrations increase in the spinal cord dorsal horn after repeated intramuscular injection of acidic saline, **119** 142
Sleed, M., Eccleston, C., Beecham, J., Knapp, M., Jordan, A., The economic impact of chronic pain in adolescence: Methodological considerations and a preliminary costs-of-illness study, **119** 183
Sluka, K.A., see Skyba, D.A., **119** 142
Snijdelaar, D.G., van Rijn, C.M., Vinken, P., Meert, T.F., Effects of pretreatment with amantadine on morphine induced antinociception during second phase formalin responses in rats, **119** 159
Spencer, S.J., see Boissé, L., **119** 133
Søgaard, K., see Rosendal, L., **119** 201
Sörensen, J., see Rosendal, L., **119** 201
Steffick, D., see Sullivan, M.D., **119** 95
Stein, J.A., see Tsao, J.C.I., **119** 124
Stelow, E.B., see Lindsay, T.H., **119** 233
Stubhaug, A., see Nielsen, C.S., **119** 65
Sullivan, M.D., Edlund, M.J., Steffick, D., Unützer, J., Regular use of prescribed opioids: Association with common psychiatric disorders, **119** 95

Tanaka, M., see Shimosato, G., **119** 225
Tanaka, Y., see Shimosato, G., **119** 225
Tao, Y.-X., see Chu, Y.-C., **119** 113
Tsao, J.C.I., Dobalian, A., Stein, J.A., Illness burden mediates the relationship between pain and illicit drug use in persons living with HIV, **119** 124

Ueda, M., see Shimosato, G., **119** 225
Unützer, J., see Sullivan, M.D., **119** 95

van der Windt, D.A.W.M., see Hendriks, E.J.M., **119** 248
van Rijn, C.M., see Snijdelaar, D.G., **119** 159
Vassend, O., see Nielsen, C.S., **119** 65
Vergnolle, N., see Boissé, L., **119** 133
Verhagen, A.P., see Hendriks, E.J.M., **119** 248
Vinken, P., see Snijdelaar, D.G., **119** 159

Wang, C., see Chen, Y., **119** 38
Wang, S.-J., see Fuh, J.-L., **119** 49
Wernicke, J.F., see Arnold, L.M., **119** 5
Wiesenfeld-Hallin, Z., see Eriksson, J., **119** 82
Wiles, N.J., see Wynne-Jones, G., **119** 247
Wong, G.Y., see Lindsay, T.H., **119** 233
Wynne-Jones, G., Jones, G.T., Atherton, K., Wiles, N.J., Silman, A.J., Macfarlane, G.J., Comment on Hendriks et al.: Prognostic factors for poor recovery in acute whiplash patients. Pain 2005;114:408–416, **119** 247

Xu, X.-J., see Eriksson, J., **119** 82

Pain 119 (2005) 252–255

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 119 (2005)

Acrylamide
Assessment of nociception in acrylamide-induced neuropathy in rats, **119**, 104

Acute pain
Risk factors for acute pain and its persistence following breast cancer surgery, **119**, 16

Age
Categorising the severity of neck pain: Establishment of cut-points for use in clinical and epidemiological research, **119**, 176

AIDS
Illness burden mediates the relationship between pain and illicit drug use in persons living with HIV, **119**, 124

Allodynia
Assessment of nociception in acrylamide-induced neuropathy in rats, **119**, 104

Allodynia
Effect of genetic knockout or pharmacologic inhibition of neuronal nitric oxide synthase on complete Freund's adjuvant-induced persistent pain, **119**, 113

Allodynia, Nerve injury
Behavioral changes and trigeminal ganglion sodium channel regulation in an orofacial neuropathic pain model, **119**, 82

Amantadine
Effects of pre-treatment with amantadine on morphine induced antinociception during second phase formalin responses in rats, **119**, 159

Analgesics
Does medication overuse headache represent a behavior of dependence?, **119**, 49

Anxiety
Regular use of prescribed opioids: Association with common psychiatric disorders, **119**, 95

Aspartate
Excitatory amino acid concentrations increase in the spinal cord dorsal horn after repeated intramuscular injection of acidic saline, **119**, 142

Breast cancer
Risk factors for acute pain and its persistence following breast cancer surgery, **119**, 16

Carcinoma
Pancreatic cancer pain and its correlation with changes in tumor vasculature, macrophage infiltration, neuronal innervation, body weight and disease progression, **119**, 233

Central sensitization
Effect of genetic knockout or pharmacologic inhibition of neuronal nitric oxide synthase on complete Freund's adjuvant-induced persistent pain, **119**, 113

Children
Headache in schoolchildren: Association with other pain, family history and psychosocial factors, **119**, 150

Children
Sucrose-induced analgesia is related to sweet preferences in children but not adults, **119**, 210

Chronic non-cancer pain
Regular use of prescribed opioids: Association with common psychiatric disorders, **119**, 95

Chronic pain
Effect of genetic knockout or pharmacologic inhibition of neuronal nitric oxide synthase on complete Freund's adjuvant-induced persistent pain, **119**, 113

Chronic whiplash-associated disorder
Reduced reactivity and enhanced negative feedback sensitivity of the hypothalamus–pituitary–adrenal axis in chronic whiplash-associated disorder, **119**, 219

Cognitive bias
The role of threat-expectancy in acute pain: effects on attentional bias, coping strategy effectiveness and response to pain, **119**, 168

Cold pressor
The role of threat-expectancy in acute pain: effects on attentional bias, coping strategy effectiveness and response to pain, **119**, 168

Collagen
Increased levels of interstitial potassium but normal levels of muscle IL-6 and LDH in patients with trapezius myalgia, **119**, 201

Confirmatory factor analyses
The significant other version of the Pain Catastrophizing Scale (PCS-S): Preliminary validation, **119**, 26

Coping strategies
The role of threat-expectancy in acute pain: effects on attentional bias, coping strategy effectiveness and response to pain, **119**, 168

Cumulative dose
Assessment of nociception in acrylamide-induced neuropathy in rats, **119**, 104

Cut-points
Categorising the severity of neck pain: Establishment of cut-points for use in clinical and epidemiological research, **119**, 176

Cyclooxygenase-2
Neonatal immune challenge alters nociception in the adult rat, **119**, 133

Dental pain
Development and validation of a dental pain-screening questionnaire, **119**, 75

Depression
Regular use of prescribed opioids: Association with common psychiatric disorders, **119**, 95

Development and validation
Development and validation of a dental pain-screening questionnaire, **119**, 75

Disability
Parent and family factors in pediatric chronic pain and disability: An integrative approach, **119**, 1

Distension
An experimental study of viscero-visceral hyperalgesia using an ultrasound-based multimodal sensory testing approach, **119**, 191

Dorsal root ganglia
Peripheral inflammation induces up-regulation of TRPV2 expression in rat DRG, **119**, 225

doi:10.1016/S0304-3959(05)00582-8

Dorsal root ganglion
Mechanisms underlying enhanced P2X receptor-mediated responses in the neuropathic pain state, **119**, 38
Duloxetine
A randomized, double-blind, placebo-controlled trial of duloxetine in the treatment of women with fibromyalgia with or without major depressive disorder, **119**, 5
Emotional distress
Risk factors for acute pain and its persistence following breast cancer surgery, **119**, 16
EUS
An experimental study of viscero-visceral hyperalgesia using an ultrasound-based multimodal sensory testing approach, **119**, 191
Experimental pain
Characterizing individual differences in heat-pain sensitivity, **119**, 65
Families
Parent and family factors in pediatric chronic pain and disability: An integrative approach, **119**, 1
Family history
Headache in schoolchildren: Association with other pain, family history and psychosocial factors, **119**, 150
Fatigue
Sustained sleep restriction reduces emotional and physical well-being, **119**, 56
Fibromyalgia
A randomized, double-blind, placebo-controlled trial of duloxetine in the treatment of women with fibromyalgia with or without major depressive disorder, **119**, 5
Formalin test
Effects of pre-treatment with amantadine on morphine induced antinociception during second phase formalin responses in rats, **119**, 159
Gastrointestinal
Pancreatic cancer pain and its correlation with changes in tumor vasculature, macrophage infiltration, neuronal innervation, body weight and disease progression, **119**, 233
Gender
Categorising the severity of neck pain: Establishment of cut-points for use in clinical and epidemiological research, **119**, 176
Glutamate
Excitatory amino acid concentrations increase in the spinal cord dorsal horn after repeated intramuscular injection of acidic saline, **119**, 142
High-intensity noxious heat
Peripheral inflammation induces up-regulation of TRPV2 expression in rat DRG, **119**, 225
HIV
Illness burden mediates the relationship between pain and illicit drug use in persons living with HIV, **119**, 124
Hyperalgesia
An experimental study of viscero-visceral hyperalgesia using an ultrasound-based multimodal sensory testing approach, **119**, 191
Hyperalgesia
Assessment of nociception in acrylamide-induced neuropathy in rats, **119**, 104
Hyperalgesia
Effect of genetic knockout or pharmacologic inhibition of neuronal nitric oxide synthase on complete Freund's adjuvant-induced persistent pain, **119**, 113
Hyperalgesia
Peripheral inflammation induces up-regulation of TRPV2 expression in rat DRG, **119**, 225
Hypothalamus pituitary adrenal axis
Reduced reactivity and enhanced negative feedback sensitivity of the hypothalamus–pituitary–adrenal axis in chronic whiplash-associated disorder, **119**, 219
ICP
The significant other version of the Pain Catastrophizing Scale (PCS-S): Preliminary validation, **119**, 26
Illicit drug use
Illness burden mediates the relationship between pain and illicit drug use in persons living with HIV, **119**, 124
In situ hybridization
Behavioral changes and trigeminal ganglion sodium channel regulation in an orofacial neuropathic pain model, **119**, 82
Individual differences
Characterizing individual differences in heat-pain sensitivity, **119**, 65
Inflammation
Peripheral inflammation induces up-regulation of TRPV2 expression in rat DRG, **119**, 225
Interleukin-6
Increased levels of interstitial potassium but normal levels of muscle IL-6 and LDH in patients with trapezius myalgia, **119**, 201
Isobologram
Effects of pre-treatment with amantadine on morphine induced antinociception during second phase formalin responses in rats, **119**, 159
Lactate dehydrogenase
Increased levels of interstitial potassium but normal levels of muscle IL-6 and LDH in patients with trapezius myalgia, **119**, 201
low dose dexamethasone suppression test
Reduced reactivity and enhanced negative feedback sensitivity of the hypothalamus–pituitary–adrenal axis in chronic whiplash-associated disorder, **119**, 219
Lumpectomy
Risk factors for acute pain and its persistence following breast cancer surgery, **119**, 16
Mastectomy
Risk factors for acute pain and its persistence following breast cancer surgery, **119**, 16
Medication overuse headache
Does medication overuse headache represent a behavior of dependence?, **119**, 49
Microdialysis
Excitatory amino acid concentrations increase in the spinal cord dorsal horn after repeated intramuscular injection of acidic saline, **119**, 142
Migraine
Does medication overuse headache represent a behavior of dependence?, **119**, 49
Migraine
Headache in schoolchildren: Association with other pain, family history and psychosocial factors, **119**, 150
Model
Pancreatic cancer pain and its correlation with changes in tumor vasculature, macrophage infiltration, neuronal innervation, body weight and disease progression, **119**, 233
Mood
Sustained sleep restriction reduces emotional and physical well-being, **119**, 56
Morphine
Effects of pre-treatment with amantadine on morphine induced antinociception during second phase formalin responses in rats, **119**, 159
Mouse
Pancreatic cancer pain and its correlation with changes in tumor vasculature, macrophage infiltration, neuronal innervation, body weight and disease progression, **119**, 233
Murine
Pancreatic cancer pain and its correlation with changes in tumor vasculature, macrophage infiltration, neuronal innervation, body weight and disease progression, **119**, 233
Muscle
Excitatory amino acid concentrations increase in the spinal cord dorsal horn after repeated intramuscular injection of acidic saline, **119**, 142
Musculoskeletal
Excitatory amino acid concentrations increase in the spinal cord dorsal horn after repeated intramuscular injection of acidic saline, **119**, 142

Neck pain
Categorising the severity of neck pain: Establishment of cut-points for use in clinical and epidemiological research, **119**, 176
Neonate
Neonatal immune challenge alters nociception in the adult rat, **119**, 133
Nerve injury
Mechanisms underlying enhanced P2X receptor-mediated responses in the neuropathic pain state, **119**, 38
Neuropathic pain
Mechanisms underlying enhanced P2X receptor-mediated responses in the neuropathic pain state, **119**, 38
Neurotoxicity
Assessment of nociception in acrylamide-induced neuropathy in rats, **119**, 104
Nitric oxide
Effect of genetic knockout or pharmacologic inhibition of neuronal nitric oxide synthase on complete Freund's adjuvant-induced persistent pain, **119**, 113
NMDA-receptor antagonist
Effects of pre-treatment with amantadine on morphine induced antinociception during second phase formalin responses in rats, **119**, 159
Nociception
Assessment of nociception in acrylamide-induced neuropathy in rats, **119**, 104
Nociception
Neonatal immune challenge alters nociception in the adult rat, **119**, 133
Numeric rating scales
Categorising the severity of neck pain: Establishment of cut-points for use in clinical and epidemiological research, **119**, 176
Obesity
Sucrose-induced analgesia is related to sweet preferences in children but not adults, **119**, 210
Opioids
Regular use of prescribed opioids: Association with common psychiatric disorders, **119**, 95
Optimism
Sustained sleep restriction reduces emotional and physical well-being, **119**, 56
Orofacial pain
Behavioral changes and trigeminal ganglion sodium channel regulation in an orofacial neuropathic pain model, **119**, 82
P2X receptor
Mechanisms underlying enhanced P2X receptor-mediated responses in the neuropathic pain state, **119**, 38
Pain
Excitatory amino acid concentrations increase in the spinal cord dorsal horn after repeated intramuscular injection of acidic saline, **119**, 142
Pain
Headache in schoolchildren: Association with other pain, family history and psychosocial factors, **119**, 150
Pain
Illness burden mediates the relationship between pain and illicit drug use in persons living with HIV, **119**, 124
Pain
Increased levels of interstitial potassium but normal levels of muscle IL-6 and LDH in patients with trapezius myalgia, **119**, 201
Pain
Neonatal immune challenge alters nociception in the adult rat, **119**, 133
Pain
Sustained sleep restriction reduces emotional and physical well-being, **119**, 56
Pain
The role of threat-expectancy in acute pain: effects on attentional bias, coping strategy effectiveness and response to pain, **119**, 168
Pain catastrophizing scale
The significant other version of the Pain Catastrophizing Scale (PCS-S): Preliminary validation, **119**, 26
Pain severity
Categorising the severity of neck pain: Establishment of cut-points for use in clinical and epidemiological research, **119**, 176
Parents
Parent and family factors in pediatric chronic pain and disability: An integrative approach, **119**, 1
Pediatric chronic pain
Parent and family factors in pediatric chronic pain and disability: An integrative approach, **119**, 1
Postoperative pain
Risk factors for acute pain and its persistence following breast cancer surgery, **119**, 16
Potassium
Increased levels of interstitial potassium but normal levels of muscle IL-6 and LDH in patients with trapezius myalgia, **119**, 201
Power function
Characterizing individual differences in heat-pain sensitivity, **119**, 65
Prolonged sleep restriction
Sustained sleep restriction reduces emotional and physical well-being, **119**, 56
Psychiatric disorder
Regular use of prescribed opioids: Association with common psychiatric disorders, **119**, 95
Psychosocial factors
Headache in schoolchildren: Association with other pain, family history and psychosocial factors, **119**, 150
Randomized clinical trial
A randomized, double-blind, placebo-controlled trial of duloxetine in the treatment of women with fibromyalgia with or without major depressive disorder, **119**, 5
Receptor sensitization
Mechanisms underlying enhanced P2X receptor-mediated responses in the neuropathic pain state, **119**, 38
Receptor trafficking
Mechanisms underlying enhanced P2X receptor-mediated responses in the neuropathic pain state, **119**, 38
Risk factors
Risk factors for acute pain and its persistence following breast cancer surgery, **119**, 16
salivary cortisol
Reduced reactivity and enhanced negative feedback sensitivity of the hypothalamus–pituitary–adrenal axis in chronic whiplash-associated disorder, **119**, 219
Screening
Development and validation of a dental pain-screening questionnaire, **119**, 75
Selective attention
The role of threat-expectancy in acute pain: effects on attentional bias, coping strategy effectiveness and response to pain, **119**, 168
Sensitization
An experimental study of viscero-visceral hyperalgesia using an ultrasound-based multimodal sensory testing approach, **119**, 191
Sleep loss
Sustained sleep restriction reduces emotional and physical well-being, **119**, 56
Sodium channel
Behavioral changes and trigeminal ganglion sodium channel regulation in an orofacial neuropathic pain model, **119**, 82
Spinal cord
Effect of genetic knockout or pharmacologic inhibition of neuronal nitric oxide synthase on complete Freund's adjuvant-induced persistent pain, **119**, 113
Spinal cord
Neonatal immune challenge alters nociception in the adult rat, **119**, 133
Spouses
The significant other version of the Pain Catastrophizing Scale (PCS-S): Preliminary validation, **119**, 26

Substance dependence
Does medication overuse headache represent a behavior of dependence?, **119**, 49
Substance use
Illness burden mediates the relationship between pain and illicit drug use in persons living with HIV, **119**, 124
Sucrose
Sucrose-induced analgesia is related to sweet preferences in children but not adults, **119**, 210
Surgery
Risk factors for acute pain and its persistence following breast cancer surgery, **119**, 16
Sweet taste
Sucrose-induced analgesia is related to sweet preferences in children but not adults, **119**, 210
Taste analgesia
Sucrose-induced analgesia is related to sweet preferences in children but not adults, **119**, 210
Tension-type headache
Headache in schoolchildren: Association with other pain, family history and psychosocial factors, **119**, 150
Thermal
Characterizing individual differences in heat-pain sensitivity, **119**, 65
Trapezius
Increased levels of interstitial potassium but normal levels of muscle IL-6 and LDH in patients with trapezius myalgia, **119**, 201
Trigeminal ganglion
Behavioral changes and trigeminal ganglion sodium channel regulation in an orofacial neuropathic pain model, **119**, 82
TRPV2
Peripheral inflammation induces up-regulation of TRPV2 expression in rat DRG, **119**, 225
Visceral pain
An experimental study of viscero-visceral hyperalgesia using an ultrasound-based multimodal sensory testing approach, **119**, 191
Visceral tumor
Pancreatic cancer pain and its correlation with changes in tumor vasculature, macrophage infiltration, neuronal innervation, body weight and disease progression, **119**, 233
Visual analog scale
Characterizing individual differences in heat-pain sensitivity, **119**, 65